

If this email should not be displayed properly, please click [here](#)

Version CW 16-2019




Item 63961

Internal 3.5" USB 3.0 Hub 4 port



- Connectors:
external:
4 x USB 3.0 Type-A female
internal:
1 x USB 3.0 Type-A female
1 x 4 pin plug
- Chipset: Genesys Logic GL3520
- Cable data:
1 x USB 3.0 Type-A male to
1 x 19 pin USB 3.0 pin header female,
length ca. 74 cm (without connectors)
1 x power cable 4 pin female to
1 x SATA 15 pin plug,
length ca. 17 cm (without connectors)
- Dimensions (LxWxH): ca. 102 x 95 x 26 mm



Item 63962



3.5" USB 3.1 Gen 1 Front Panel 1 x USB Type-C™ + 1 x USB Typ-A

- Connectors:
external:
1 x SuperSpeed USB (USB 3.1 Gen 1) Type-A female
1 x SuperSpeed USB (USB 3.1 Gen 1) USB Type-C™ female
internal:
1 x 19 pin USB 3.0 pin header male
- USB 3.0 cable will be connected internally to a free 19 pin USB 3.0 pin header male port
- Dimensions (LxWxH): ca. 102 x 95 x 26 mm

Item 63993

3.5" Front Panel to 2 x USB 3.0 + 2 x USB 2.0



- Connectors:
external:
2 x USB 3.0 Type-A female
2 x USB 2.0 Type-A female
internal:
1 x 19 pin USB 3.0 pin header female port on the cable
1 x 9 pin USB 2.0 pin header male
1 x 4 pin power connector
- Cable data:
1 x 19 pin USB 3.0 pin header female cable, length ca. 54 cm (without connectors)
1 x cable 9 pin USB 2.0 pin header female to 9 pin USB 2.0 pin header female, length ca. 59 cm (without connectors)
1 x power cable 4 pin female to 1 x SATA 15 pin plug, length ca. 17 cm (without connectors)
- 3.5" metal frame

Item 63994

3.5" Front Panel x USB 3.0

- Connectors:
external: 2 x USB 3.0 Type-A female
internal: 1 x 19 pin USB 3.0 pin header female port on the cable
- Cable data:
1 x 19 pin USB 3.0 pin header female cable, length ca. 54 cm (without connectors)

- 3.5" metal frame



Item 62685

Delock 3.5" Front Panel to 2 x USB 3.0 + 2 x USB 2.0 and fan control



- Connector:
 - external:
 - 2 x USB 3.0 Type-A female
 - 2 x USB 2.0 Type-A female
 - internal:
 - 1 x 19 pin USB 3.0 pin header female port on the cable
 - 1 x 9 pin USB 2.0 pin header male
 - 2 x 3 pin fan pin header male
 - 1 x 2 pin power connector male
- 2 rotary button for fan control
- Cable data:
 - 1 x 19 pin USB 3.0 pin header female cable ca. 50 cm (incl. connector)
 - 1 x 9 pin USB 2.0 pin header female cable ca. 70 cm (incl. connector)
 - 2 x fan cable 1 x 3 pin female to 1 x 3 pin male + 1 x 3 pin female ca. 50 cm (incl. connector)
 - 1 x power cable 1 x 2 pin to 1 x 4 pin male + 1 x 4 pin female ca. 30 cm (incl. connector)
- 3.5" metal frame

[■ WHAT IS...?](#)[■ CATALOGUES & FLYER](#)[■ NEWSLETTER](#)

Good Idea

From standard
to exotic

to understand technologies
advertising materials for free
always to be informed topically

www.delock.de/infopoint

[Contact](#)[Overview of the
last newsletters](#)[Delock Homepage](#)[Subscribe
Newsletter](#)[Cancel
Newsletter](#)

DELOCK is a brand of the manufacturer
TRAGANT Handels- und Beteiligungs GmbH
Beeskowdamm 13/15
14167 Berlin / Germany

Commercial Register: HRB 45788
Berlin Charlottenburg
VAT.-Number: DE 156330245
WEEE-Reg.-No.: DE 89394995

All offered products are available, as long as stock lasts.
All brand names listed here are registered trademarks of
their respective companies. Changes, delivery times and
errors are subject to change.